

ICONIC

ICONIC WPC HYBRID FLOORING - PHTHALATE & VOC DECLARATION

Preference Floors declare that the information provided by our manufacturing partner indicates that the raw materials along with any bonding compounds used in the manufacturing process of ICONIC WPC flooring are Phthalate free and meet the acceptable FloorScore VOC requirements for indoor air quality for WPC Flooring maximum thickness 8.0mm.

FloorScore Certification is renewed annually however as the product does not change in its composition the declaration remains valid past the certificate date. The certificate is provided as Third Party risk assessment.

RESULT: VOC Emissions; < E1, FloorScore Certified SCS-105-V.4.2 - 2023. Product composition, PVC, CaCo3 & DOTP.

For the following product(s):

Vinyl Tile:

Click Vinyl Flooring (*Maximum Thickness 5.0mm*)

Dry Back Luxury Vinyl Tile (*Maximum thickness 3.0mm*)

WPC Flooring (*Maximum thickness 8.0mm*)

Stone Plastic Composite (SPC) Flooring (*Maximum thickness: 7.0mm*)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-03702

Valid from: November 01, 2024 to October 31, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



Nicole Munoz, Vice President, ECS
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

www.preferencefloors.com.au

Adelaide (SA)

ABN 63 600 454 215
47 Research Rd,
Pooraka SA 5095

Brisbane (QLD)

ABN 81 169 158 990
159 – 161 Jackson Rd,
Acacia Ridge QLD 4110

Melbourne (VIC)

ABN 34 151 422 927
115 Colemans Road
Dandenong South VIC 3175

Perth (WA)

ABN 25 625 850 455
3-403 Victoria Rd,
Malaga WA 6090

Sydney (NSW)

ABN 40 117 801 037
32 Britton St,
Smithfield NSW 2164

t +61 8 8262 2774
sa@preferencefloors.com.au

t +61 7 3875 1688
qld@preferencefloors.com.au

t +61 3 9794 5111
vic@preferencefloors.com.au

t +61 8 9471 7785
wa@preferencefloors.com.au

t +61 2 9738 1188
sales@preferencefloors.com.au